




# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/798,657	03/11/2004	Stephen M. Prather	5298-13101 CD02212	6316
35617	7590	09/16/2005		
DAFFER MCDANEIL LLP P.O. BOX 684908 AUSTIN, TX 78768			EXAMINER TAN, VIBOL	
			ART UNIT	PAPER NUMBER
			2819	

DATE MAILED: 09/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/798,657	<b>Applicant(s)</b> PRATHER ET AL. 	
	<b>Examiner</b> Vibol Tan	<b>Art Unit</b> 2819	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 25 August 2005.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-4,6 and 8-19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4,6,8-16,18 and 19 is/are rejected.
- 7) ☒ Claim(s) 17 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 August 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Claim Objection*

1. Claim 6 is objected because it depends from canceled claim 5.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-4, 6, 8-16 and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over lida (U. S. PAT. 4,906,871).

In claim 1, lida teaches all claimed features in Figs 3 and 5-7, a circuit, comprising: a differential amplifier (13); a capacitor (19) coupled to an output (a terminal coupled to a node at R3 opposite to Vcc) of the differential amplifier; an inverter (20) coupled to the capacitor; and a biasing circuit (Q7 or Q8) comprises a transmission gate consisting of a p-channel transistor (Q8) coupled in parallel with an n-channel transistor (Q7) between the capacitor and the inverter (as shown in Figs. 5-7); with the exception of teaching wherein a gate terminal of the p-channel transistor (Q8) is coupled to a power down voltage at a power supply voltage and a gate terminal of the n-channel transistor (Q7) is coupled to a ground voltage during power down of the circuit. However, it is so obvious to one ordinary skill in the art to arrange the connections of the p-channel and the n-channel of lida in the opposite manner, during power down the

Art Unit: 2819

circuit; since there is no additional circuitry involved and it only involves reversing logic levels at the gates of the p-channel and n-channel transistors.

Therefore; it would have been obvious to one ordinary skill in the art at the time of the invention was made to arrange the logic levels at the gates of the p-channel and n-channel transistors of lida circuit, during power down the circuit; since it has been held that rearranging parts of an invention involves only routine skill in the art. *In re Japikse*, 86 USPQ 70.

In claim 2, lida further teaches the circuit as recited in claim 1, wherein the inverter (20) comprises a p-channel transistor (Q5) coupled in series with an n-channel transistor (Q6).

In claim 3, lida further teaches the circuit as recited in claim 1, the circuit as recited in claim 1, wherein the capacitor (19) comprises a pair of conductive terminals (terminals of 19) separated by a dielectric (inherent), and wherein a first terminal of the pair of terminals is coupled to the output (the terminal coupled to the node at R3 opposite to Vcc) of the differential amplifier and a second terminal of the pair of terminals is coupled to the inverter (20).

In claim 4, lida further teaches the circuit as recited in claim 1, wherein the inverter (20) comprises a terminal (as shown) coupled to the capacitor (19).

In claim 6, lida further teaches in Fig. 7, the circuit as recited in claim 1, wherein a gate terminal of the p-channel transistor (Q8) is coupled to the power down voltage (0V) and a gate terminal of the n-channel transistor (Q7) is coupled to the power supply voltage (Vcc or logic 1) during operation of the circuit.

In claims 8 and 9, lida further teaches in Fig. 8 the circuit as recited in claim 1, the circuit as recited in claim 1, wherein the biasing circuit comprises a second inverter (22); and wherein the second inverter comprises both an input and an output coupled to the capacitor (via R6).

In claim 10, it is believed that lida further teaches in Fig. 8 wherein the inverter (20) comprises a first p-channel transistor (Q5) and an first n-channel transistor (Q6) having substantially the same gate length but having a first p-channel gate width at a first ratio relative to first n-channel gate width, and wherein the second inverter (22) comprises second p-channel transistor (Q9) and a second n-channel transistor (Q10) having substantially the same gate length but having a second p-channel gate width at a second ratio relative to a second n-channel gate width, and wherein the first ratio is approximately equal to the second ratio. Further more, it would have been obvious to one ordinary skill in the art to modify the gate length or the gate width of transistors is a matter of design choice, since such modification would have been involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. *In re Rose*, 105 USPQ 237 (CCPA 1955).

Therefore; it would have been obvious to one ordinary skill in the art at the time of the invention was made to modify the sizes of transistors within the inverters is a matter of design choice.

In claim 11, lida teaches all claimed features in Figs. 1, 3 and 5-7, a receiver, comprising: an inverter (20); a differential amplifier (13) adapted to receive a differential input signal (base terminals for T1 and T2) forwarded to the receiver from a

Art Unit: 2819

transmission medium (differential lines connected to 18); a biasing circuit (Q7, Q8 in Fig. 7) coupled to an input of the inverter (20) to bias a voltage on the inverter to a trip point of the inverter; and capacitor (19) coupled between the inverter and respective output (one end of resistor R3) of the differential amplifier (13) to place upon the inverter change in voltage centered around the trip point, wherein the change in voltage correspond to change in amplitude of the differential input signal; with the exception of teaching a second inverter and a second bias circuit coupling to the other output of the differential amplifier (13), lida just shows one output line. However, it is obvious to one ordinary skill in the art to set up or duplicate another inverter and bias circuit, which is identical to what already shown output line in Fig. 3 of lida, attaching to the output of the differential amplifier (13) at the end of R4, in order to obtain differential output signals.

Therefore; it would have been obvious to one ordinary skill in the art at the time of the invention was made to duplicate another inverter and bias circuit, which is identical to the already shown output line of lida in order to provide a differential CMOS level shifter circuit.

Claim 12, lida further teaches the receiver as recited in claim 11, wherein each of the pair of inverters (only one of the inverter shown, 20) is a complementary metal oxide semiconductor (CMOS) inverter.

In claim 13, lida further teaches the receiver as recited in claim 11, wherein the biasing circuit comprises a transmission gate (Q7 or Q8) coupled between the input and output of each of the pair of inverters to maintain a direct current (DC) voltage bias on

Art Unit: 2819

the input of each of the pair of inverters approximately at the trip point ( $V_1$ ) of the inverters.

In claim 14, lida further teaches the receiver as recited in claim 11, wherein the transmission gate comprises a p-channel transistor (Q8) coupled in parallel with an n-channel transistor (Q7), wherein, during operation, a gate terminal of the p-channel transistor is coupled to a power down voltage at a ground supply voltage (logic 0 turns ON p-channel transistor) and a gate terminal of the n-channel is coupled to a power supply voltage (logic 1 turns on n-channel transistor), and wherein during non-operation (as discussed in claim 1), the gate terminal of the p-channel transistor is coupled to the power supply voltage (logic 1) and a gate terminal of the n-channel is coupled to the ground supply voltage (logic 0).

In claims 15 and 16, lida further teaches the receiver as recited in claim 11, wherein the biasing circuit comprises a second inverter (22) having an input coupled to an output of the inverter and also having an output coupled to an input of the inverter (as shown in Fig. 8); and wherein the ratio of gate widths p-channel and n-channel transistors of the first inverter and the second inverter are substantially equal.

Method claims 18-19 correspond to detailed circuitry already discussed similarly with regard to claims 11-17.

4. Claim 17 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Response to Argument***

5. Applicant's arguments with respect to claims 1, 11 and 18 have been considered but are moot in view of the new ground(s) of rejection.

New ground of rejection(s) set forth as discussed in details above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vibol Tan whose telephone number is (571) 272-1811. The examiner can normally be reached on Monday-Friday (7:00 AM-4:30 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571) 272-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



**VIBOL TAN  
PRIMARY EXAMINER**